



中国认可
国际互认
检测
TESTING
CNAS L12274



检测报告

TEST REPORT



扫一扫关注我们

扫一扫查真伪

报告编号

REPORT NO.

260469419

产品名称

NAME OF SAMPLE

面料

委托单位

CUSTOMER

桐乡市暖语阁服饰有限公司

检验类别

TEST CATEGORY

委托检验

浙江电商检测有限公司

ZHEJIANG E-COMMERCE TESTING CO.,LTD



1. 检测仪对来样负责，复印件未重新加盖专用章无效。The test is only responsible for the sample, the copy has not been re-stamped with a special seal is invalid.
2. 委托人对本实验室的检验结果有异议的，可在收到检验结果之日起十五日内向本实验室或者上级机构申请复验。ANY OBJECTION TO THE RESULT(S) CAN BE RAISED FOR RE-INSPECTION WITHIN 15 DAYS FROM RECEIVING THE REPORT.
3. 未经本实验室书面同意，不得部分地复制本报告或利用本报告进行不当宣传。NO PARTIAL COPY OF THE REPORT OR MISUSE OF THE REPORT FOR IMPROPER PROMOTION WILL BE ALLOWED WITHOUT THE WRITTEN CONSENT OF OUR LABORATORY.
4. 我们已尽所知和最大能力实施检验，不能因我们签发本证书而免除卖方或其他方面根据合同和法律所承担的产品质量责任和其他责任。ALL INSPECTIONS ARE CARRIED OUT CONSCIENTIOUSLY TO THE BEST OF OUR KNOWLEDGE AND ABILITY. THIS CERTIFICATE DOES NOT IN ANY RESPECT ABSOLVE THE SELLER AND OTHER RELATED PARTIES FROM HIS CONTRACTUAL AND LEGAL OBLIGATIONS ESPECIALLY WHEN PRODUCT QUALITY IS CONCERNED.



中国认可
国际互认
检测
TESTING
CNAS L12274



技术支持: 0571-85073696
业务联系: 0571-86026992
网址: <http://www.51pinkong.com>
地址: 浙江省杭州市钱塘区银海街600号5幢2楼



检测报告

报告编号: 260469419

第 1 页 共 2 页

| | |
|---------|---|
| 客户信息 | 委托单位 : 桐乡市暖语阁服饰有限公司 委托单位地址 : 浙江省嘉兴市桐乡市金龙路 699 号 |
| 客户认定信息 | 样品描述 : 面料 样品数量 : 1 块 样品状态描述 : 完好 JDLM86272,JDLM86320,JDLM86321,JDLM86322,HJ177,KS86272,KS86320,KS86321,KS86322,P 款号 : K86272,PK86320,PK86321,PK86322,15381182,15226193,15226195,15226196,86272,86320,86321,86322, |
| 检验类型 | 委托检测 委托日期: 2026-04-18, 报告签发日期: 2026-04-19 检测日期: 2026-04-18 至 2026-04-19 |
| 判定依据 | / |
| 检验结果及结论 | 具体检验项目详见结果页。 |
| 样品呈现 | (以下为送检样品的照片呈现和/或裁剪自送检样品的贴样)  |



制单: 

审核: 陈玉石

批准: 



中国认可
国际互认
检测
TESTING
CNAS L12274



技术支持: 0571-85073696
业务联系: 0571-86026992
网址: <http://www.51pinkong.com>
地址: 浙江省杭州市钱塘区银海街600号5幢2楼



检测报告

报告编号: 260469419

第 2 页 共 2 页

| 测试项目(计量单位) [样品标识] | 测试方法 (参数说明) | 技术要求 (备注) | 测试结果 | 判定 | | | | | | | | |
|----------------------|---|--|---|-------|------|-------|------|-------|------|-------|-----|----|
| 纤维含量(%) | FZ/T 01057-2007 GB/T 2910-2009 GB/T 2910-2022 GB/T 2910-2023 GB/T 2910-2024 (结合公定回潮率) | -- | <table border="0"> <tr><td>粘纤</td><td>52.8</td></tr> <tr><td>聚酯纤维</td><td>26.5</td></tr> <tr><td>锦纶</td><td>20.7</td></tr> </table> | 粘纤 | 52.8 | 聚酯纤维 | 26.5 | 锦纶 | 20.7 | -- | | |
| 粘纤 | 52.8 | | | | | | | | | | | |
| 聚酯纤维 | 26.5 | | | | | | | | | | | |
| 锦纶 | 20.7 | | | | | | | | | | | |
| 耐汗渍色牢度(级) | GB/T 3922-2013 | 客户要求: 酸性:变色 \geq 3-4 客户要求: 酸性:沾色 \geq 3-4 客户要求: 碱性:变色 \geq 3-4 客户要求: 碱性:沾色 \geq 3-4 | <table border="0"> <tr><td>酸性:变色</td><td>4-5</td></tr> <tr><td>酸性:沾色</td><td>4-5</td></tr> <tr><td>碱性:变色</td><td>4-5</td></tr> <tr><td>碱性:沾色</td><td>4-5</td></tr> </table> | 酸性:变色 | 4-5 | 酸性:沾色 | 4-5 | 碱性:变色 | 4-5 | 碱性:沾色 | 4-5 | 合格 |
| 酸性:变色 | 4-5 | | | | | | | | | | | |
| 酸性:沾色 | 4-5 | | | | | | | | | | | |
| 碱性:变色 | 4-5 | | | | | | | | | | | |
| 碱性:沾色 | 4-5 | | | | | | | | | | | |
| 耐水色牢度(级) | GB/T 5713-2013 | 客户要求: 变色 \geq 3-4 客户要求: 沾色 \geq 3-4 | <table border="0"> <tr><td>变色</td><td>4-5</td></tr> <tr><td>沾色</td><td>4-5</td></tr> </table> | 变色 | 4-5 | 沾色 | 4-5 | 合格 | | | | |
| 变色 | 4-5 | | | | | | | | | | | |
| 沾色 | 4-5 | | | | | | | | | | | |
| 备注 | 1. 本实验室根据客户要求完成以上检测内容, 检测结果仅适用于收到的样品。复制报告未加盖本机构“检验检测专用章”无效。 2. 标记"--"的测试项目表示不予判定或不具备判定条件。 3. 除非客户要求, 本报告检测结果及符合性判定不考虑测量结果的不确定度。 | | | | | | | | | | | |

===== 检测报告结束 =====

